

INDEX MAPS.

T. 12 N, R. 4 E. 2nd Mer.

	68		68		67		67		67		66	
70	6	90	5	85	4	81	3	77	2	74	1	66
	90		89		84		81		77		74	
70	7	89	8	84	9	80	10	77	11	73	12	66
	89		88		84		80		76		73	
69	18	88	17	83	16	80	15	76	14	72	13	66
	88		87		83		79		76		72	
69	19	87	20	83	21	79	22	75	23	72	24	65
	87		86		82		79		75		71	
69	30	86	29	82	28	78	27	75	26	71	25	65
	86		85		82		78		74		71	
68	31	85	32	81	33	78	34	74	35	70	36	65
	64		64		63		63		63		63	

T. 13 N, R. 4 E. 2nd Mer.

	96-99		97-99		97-98		97-98		97-98		97-98	
101	6	120	5	115	4	111	3	108	2	104	1	96
	120		119		114		111		108		104	
101	7	119	8	114	9	111	10	107	11	104	12	96
	119		118		114		110		107		103	
100	18	118	17	114	16	110	15	107	14	103	13	95
	118		117		113		110		106		103	
100	19	117	20	113	21	109	22	106	23	102	24	95
	117		117		113		109		106		102	
100	30	116	29	112	28	109	27	105	26	102	25	95
	116		115		112		108		105		102	
99	31	115	32	112	33	108	34	105	35	101	36	94
	94		94		93		93		93		93	

The figures on the lines refer to the page.

Township N. 13 North, Range N. 4 East 2^d Mer. Indiana

South Boundary.

- West On S. boundary of Sec. 36, T13 N. R4 E.
 40.00 Set the q. Sec. post. from which
 a Beech 14 in. dia. bears S51 E 47 chs. dist. &
 an Elm 13 " " " N45 W 46 " "
 46.25 a Brook 10 chs. wide Course N. E.
 80.00 Set a post. Cor. to Secs. 35 & 36, T13 N. R4 E, from which
 an Ash 22 in. dia. bears S79 E 37 chs. dist. &
 a Beech 19 " " " N79 W 47 " "
 Over good farming Land, timber Beech
 Sugar Ash &c. undergrowth Spice &c.
-

- West On S. boundary of Sec. 35, T13 N. R4 E.
 40.00 Set the q. Sec. post. from which
 a Beech 10 in. dia. bears N62 W 4 chs. dist. &
 a Do 14 " " " S80 E 50 " "
 75.00 a Brook 10 chs. wide Course S.
 80.00 Set a post Cor. to Secs. 34 & 35, T13 N. R4 E, from which
 a Beech 18 in. dia. bears N55 W 38 chs. dist. &
 a Do 18 " " " S75 E 24 " "
 Over good farming land timber, Beech, ash &c.
 undergrowth Spice &c.
-

- West On S. boundary of Sec. 34, T13 N. R4 E.
 40.00 Set the q. Sec. post. from which
 a Beech 7 in. dia. bears N20 E 3 chs. dist. &
 a Do 10 " " " S39 W 4 " "
 69.25 a Brook 3 chs. wide Course South
 80.00 Set a post Cor. to Secs. 35 & 34, T13 N. R4 E, from which
 a Beech 8 in. dia. bears S75 W 36 chs. dist. &
 a Do 8 " " " N20 E 17 " "
 Over level Land, timber Beech, Oak &c.
-

- West On S. boundary of Sec. 33, T13 N. R4 E.
 40.00 Set the q. Sec. post. from which
 a Beech 10 in. dia. bears S43 E 28 chs. dist. &

S13 N R4 E. 2^d. Mer. Indiana

a Beech 12 in. diam. bears S43 E 28 lks. dist. 4
 58.00 a Creek 50 lks. wide Course South
 80.00 Set a post Cor. to Sec. 32 & 33, S13 N R4 E. from which
 a Beech 15 in. diam. bears N76 E 16 lks. dist. 4
 a Do 20 " " " N85 W 32 " "
 Over level Land, timber. Beech, Oak, ash &c.
 undergrowth Spice &c.

West On S. boundary of Sec. 32, S13 N R4 E.
 27.10 a Creek 50 lks. wide Course South
 40.00 Set the gr. Sec. post. from which
 a Beech 13 in. diam. bears S66 E 17 lks. dist. 4
 a Do 24 " " " N58 W 36 " "
 77.20 a Creek 50 lks. wide Course S.E.
 80.00 Set a post Cor. to Sec. 31 & 32, from which
 a Beech 20 in. diam. bears N77 E 38 lks. dist. 4
 an Ash 8 " " " N55 W 24 " "
 Land timber &c. Same as on the last mile

West On S. boundary of Sec. 31, S13 N R4 E.
 40.00 Set the gr. Sec. post. from which
 a Beech 14 in. diam. bears N73 E 22 lks. dist. 4
 a Do 12 " " " S44 W 53 " "
 62.50 a Creek 20 lks. wide Course N.E.
 79.00 Intersected the N & S. line at the Cor. of
 Townships N^o. 12 & 13 N. Ranges N^o. 3 & 4 E.
 Over good farming Land, timber Beech Ash &c.
 undergrowth Spice &c. Aug. 4th 1819

East Boundary. var. 6th. 00. E.
 North On E. boundary of Sec. 36, S13 N R4 E.
 18.88 an Ash 24 in. diam. in the line
 40.00 Set the gr. Sec. post. from which
 a Sugar 10 in. diam. bears N43 W 30 lks. dist. 4
 a Do 10 " " " S60 E 6 " "
 55.44 an Ash 20 " " in the line

T13N R4E 2nd Mer. Indiana

80.00 Let a post Cor. to Sec. 25 & 36, T13N. R4E.
 a Sugar 20 in. diam. tray N16 E 31, 1 1/2 lbs. dist. of
 a Beech 14 " " " N44 W 26 " "
 Over level land, timber Beech, Ash &c.
 undergth Spruce &c.

North On E. boundary of Sec. 25, T13N. R4E.
 31.94 an Ash 18 in. diam.

40.00 Let the q^r. Sec. post, from which
 a Beech 20 in. diam. tray N14 E 44 lbs. dist. of
 a Do 18 " " " N45 W 21 " "

69.25 a Beech 14 " " in the line

80.00 Let a post Cor. to Sec. 24 & 25, from which
 a Beech 14 in. diam. tray N67 W 21 lbs. dist. of
 a Do 20 " " " N61 E 31 " "
 Over good farming land, timber Oak, Beech
 Sugar &c. undergth Spruce &c.

North On E. boundary of Sec. 24, T13N. R4E.
 25.77 a W. Oak 40 in. diam. tray in the line

40.00 Let the q^r. Sec. post, from which
 a Beech 8 in. diam. tray N25 W 8 lbs. dist. of
 a Do 10 " " " N47 E 8 " "

60.14 a Spanish Oak 48 in. diam.

80.00 Let a post Cor. to Sec. 13 & 24, from which
 a Beech 13 in. diam. tray N32 E 33 lbs. dist. of
 a Do 14 " " " N40 W 21 " "
 Over good farming land, timber as before

North On E. boundary of Sec. 13, T13N. R4E.

14.20 a Creek 20 lbs. wide Course East

27.25 a Beech 12 in. diam.

40.00 Let the q^r. Sec. post, from which
 a Beech 12 in. diam. tray N20 E 24 lbs. dist. of
 a Do 16 " " " N22 W 17 " "

59.83 a Beech 14 " " in the line

T13N. R4E. 2^d. Mer. Indiana

80.00 Set a post Cor. to Sec. 12 & 13, from which
a Beech 22 in. dia. bray S 71 E 15 lks. dist. &
an Ash 20 " " " N 86 W 27 " "
Over good farming land, timber Beech,
Sugar &c. underg. ^{the} Spice &c.

North On E. boundary of Sec. 12, T13N. R4E.

23.85 an Ash 30 in. dia. in the line

40.00 Set the q. Sec. post, from which
a Beech 12 in. dia. bray S 24 W 16 lks. dist. &
a — 6 " " " N 28 E 5 " "

61.35 a Beech 20 " " in the line

80.00 Set a post Cor. to Sec. 11 & 12, from which
a Beech 20 in. dia. bray S 51 E 7 lks. dist. &
a Do 13 " " " N 18 W 29 " "
Over good farming land, timber Beech,
Sugar, Ash &c. underg. ^{the} Spice &c.

North On E. boundary of Sec. 1, T13N. R4E.

12.56 a Pur Oak 48 in. dia.

40.00 Set the q. Sec. post, from which
a Beech 12 in. dia. bray S 30 E 24 lks. dist. &
a Do 24 " " " N 39 W 32 " "

73.38 Set a post Cor. to Township, N. 13 & 14 North,
Range N. 4 & 5 East, from which
a Walnut 48 in. dia. bray N 20 E 27 lks. dist. &
a Beech 10 " " " S 40 E 18 " "
Over good farming land timber as before

North Boundary

East On Rand^m. S. boundary of Sec. 31, T14N. R4E.

20.43 a Beech 21 in. dia.

40.00 Set temp. q. Sec. post

74.89 an Ash 30 in. dia.

80.00 Set a post Cor Sec. 31 & 32, T14N. R4E temporary
Rich level. Sugar, B. Ash, Poplar, Elm, Spice & persim.

Comp

T13N-R4E-T2N Mer. Indiana

East On Rand^m. S. boundary Sec 32, T14N, R4E.

9.04 an Oak 40 in. diam.

40.00 Set temp^y. g^r. Sec. post

68.59 a Sugar 24 in. diam.

80.00 Set temp^y. post Cor. to Sec^s. 32 & 33, T14N, R4E.

Level T² rate land, timber as before

East On Rand^m. S. boundary Sec 33, T14N, R4E.

8.60 a Beech 33 in. diam.

40.00 Set temp^y. g^r. Sec. post

60.62 an Elm 20 in. diam.

80.00 Set temp^y. Sec. post Cor. to 33 & 34, T14N, R4E.

Level wetland Elm, Sugar, Ash, Oak, Hickory
Spice &c. undergth.

East On Rand^m. S. boundary of Sec 34, T14N, R4E.

40.00 Set temp^y. g^r. Sec. post

50.92 a W. Oak 42 in. diam.

80.00 Set a temp^y. post Cor. to Sec^s. 34 & 35, T14N, R4E.

Level wetland, Beech, Ash, Hickory, Sugar, Elm,
Oak, Poplar Spice &c.

East On Rand^m. S. boundary of Sec. 35, T14N, R4E.

28.27 an Oak 24 in. diam.

40.00 Set temp^y. g^r. Sec. post

51.59 an Oak 20 in. diam.

80.00 Set temp^y. Sec. post Cor. to 35 & 36, T14N, R4E.

Sand timber &c. Same as on the last mile

East On Rand^m. S. bound^y. of Sec. 36, T14N, R4E.

32.74 an Oak 48 in. diam.

40.00 Set temp^y. g^r. Sec. post

67.59 a Walnut 36 in. diam.

75.00 Intersected Cor. of Township, N^o. 13 & 14
N. Range, N^o. 4 & 5 East. Level wetland
D. Oak, Walnut, Elm & Spice. July 7th. 1819

T3N R4E. 2nd Mer. Indiana

Met Out true line S. boundary of Sec. 36, T4N. R4E.
 17.87 a Spanish Oak 36 in. dia.
 40.00 Set the q. Sec. post, from which
 a Beech 12 in. dia. bray N35 W36 lks. dist. of
 a Do 19 " " " S20 E13 " "
 49.35 an Ash 15 " "
 80.00 Set a post cor. to Secs. 35 & 36, T4N. R4E. from which
 an Elm 22 in. dia. bray N4 E5 lks. dist. of
 an Ash 12 " " " S72 E40 " "
 Over level land, timber Beech, Ash, Elm &c

Met Out true line S. boundary of Sec. 35, T4N. R4E.
 9.35 a Beech 14 in. dia.
 40.00 Set ~~the~~ q. Sec. post, from which
 a Lym 9 in. dia. bray S40 E16 lks. dist. of
 a Poplar 15 " " " S79 W21 " "
 49.03 a Poplar 14 " "
 80.00 Set a post cor. to Secs. 34 & 35, T4N. R4E. from which
 an Oak 10 in. dia. bray N59 E13 lks. dist. of
 an Ash 7 " " " S40 W3 " "
 Over level land, timber Elm, Ash, Oak &c.

Met Out true line S. bound. of Sec. 34, T4N. R4E.
 25.37 an Oak 20 in. dia.
 40.00 Set the q. Sec. post, from which
 an Elm 18 in. dia. bray S56 E14 lks. dist. of
 an Ash 13 " " " S58 W5 lks. "
 64.35 a Lym 12 " " in the line
 80.00 Set a post cor. to Secs. 33 & 34, T4N. R4E. from which
 a Lym 14 in. dia. bray N82 E36 lks. dist. of
 an Elm 12 " " " S69 W25 " "
 Land timber &c same as on the last mile

Met Out true line S. boundary of Sec. 33, T4N. R4E.
 13.00 a Beech 18 in. dia.
 40.00 Set the q. Sec. post, from which

T13N - R4E. 2^d Mer. Indiana

- an Ash 10 in. dia. bear S84 E 22 lks. dist. of
a Beech 30 " " " N56 W 21 " "
80.00 Set a post Corner to Sec. 32 & 33, T14 N. R4 E, from which
a Beech 24 in. dia. bear S69 E 9 lks. dist. of
a Do 17 " " " S46 W 14 " "
Over good farming land, timber Beech, Ash,
Sugar &c. undergth Spruce &c

- Nest On S. boundary of Sec. 32, T14 N. R4 E. true line
22.44 a Lym 12 in. dia.
40.00 Set the q. Sec. post, from which
a Hickory 14 in. dia. bear N45 E 14 lks. dist. of
a Beech 10 " " " S32 W 7 " "
44.95 an Elm 40 " "
80.00 Set a post Cor. to Sec. 31, 32, T14 N. R4 E, from which
a Poplar 6 in. dia. bear N39 E 28 lks. dist. of
a Beech 14 " " " S24 W 34 " "
Over good farming land, timber, Beech, Sugar,
Ash &c. undergth Spruce. Aug. 5th 1879

- Nest On true line S. boundary of Sec. 31, T14 N. R4 E.
18.85 a Beech 13 in. dia.
40.00 Set the q. Sec. post, from which
a Beech 10 in. dia. bear N65 E - lks. dist. of
a Do 14 " " " S56 W 18 " "
80.00 Intersected the Range line. at the Corner
of Township N. 13 & 14 N. Range N. 3 & 4 E.

- Nest Boundary var. 6. 10. E
North On E. boundary of Sec. 36, T13 N. R3 E.
16.00 a Beech 15 in. dia.
40.00 Set the q. Sec. post, from which
a W. Oak 30 in. dia. bear S43 W 20 lks. dist. of
a Beech 15 " " " S51 E 18 " "
52.40 a Beech 15 " "
80.00 Set a post Cor. to Sec. 25 & 36, T13 N. R3 E, from which

T13N - R4E. 2^d Mer. Indiana

a Beech 12 in. dia. bray S23N25W. dist. of
 a Do 20 " " " N46E45 " "
 Level land, timber Beech, Ash &c. undrg. Spice

North On E. boundary of Sec. 25, T13N. R3E.

37.70 a Beech 18 in. dia.

40.00 Let the q. Sec. post, from which
 a W. Oak 21 in. dia. bray N77W7W. dist. of
 a Beech 12 " " " East 25 " "

61.10 an Elm 24 " "

80.00 Let a post Cor. to Sec. 24 & 25, T13N. R3E from which
 a Swamp Ash 9 in. dia. bray N30E11W. dist. of
 an Ash 10 " " " S71W25 " "
 Land level & brushy, timber Beech, Ash
 Elm &c. undrg. Spice, Prickly Ash &c

North On E. boundary of Sec. 24, T13N. R3E.

24.00 an Ash 24 in. dia.

40.00 Let the q. Sec. post, from which
 a Red Oak 12 in. dia. bray N69W20W. dist. of
 a Dogwood 6 " " " S27E5 " "

57.60 a B. Walnut 10 in. dia.

80.00 Let a post Cor. to Sec. 13 & 24, T13N. R3E, from which
 a Span. Oak 27 in. dia. bray S87W5W. dist. of
 a Beech 12 " " " N49E25 " "
 Land level timber same as on the last mile

North On E. boundary of Sec. 13, T13N. R3E

40.00 Let the q. Sec. post, from which
 a Beech 12 in. dia. bray S21W26W. dist. of
 a Do 15 " " " N75E13 " "

62.60 a Sugar 15 " "

80.00 Let a post Cor. to Sec. 12 & 13, T13N. R3E, from which
 a Walnut 6 in. dia. bray - 64E22W. dist. of
 a W. Walnut 6 " " " N76W7 " "
 Level brushy land, timber Beech, Sugar &c.

T13 N R4 E 2^d Mer. Indiana

North On E. boundary of Sec. 12, T13 N. R3 E.

12.35 a Quaking Asp 15 in. dia. (Aspen)

40.00 Let the gr. Sec. post, from which
an Aspen 12 in. dia. bray N44 W 9 lks. dist. of
a do 15 " " " S32 E 9 " "

71.00 a Quaking Asp 15 in. dia. (Aspen)

80.00 Let a post Cor. to Sec. 1, 12, T13 N. R3 E, from which
a W. Oak 20 in. dia. bray N72 W 2 lks. dist. of
an Elm 12 " " " S83 E 23 " "
Level land, timber Aspen, Beech, Elm &c.
undergth Spruce &c.

North On E. boundary of Sec. 1, T13 N. R3 E.

40.00 Let the gr. Sec. post, from which
a Beech 20 in. dia. bray N59 W 9 lks. dist. of
an Ash 24 " " " S63 E 28 " "

40.85 a Maple 18 " "

75.15 Let a post Cor. to Township N. 13 & 14 North
Range N. 3 & 4 E, from which
a Beech 20 in. dia. bray N27 W 9 lks. dist. of
a Logw. 6 " " " S47 E 16 " "
Land timber &c. same as on the last mile
Surveyed by John McDonald, D. S.

Subdivision var. 5.50' E.

North Between Sec. 35 & 36, T13 N. R4 E.

4.50 a Beech 30 in. dia.

40.00 Let the gr. Sec. post, from which
an Ash 10 in. dia. bray N50 W 16 lks. dist. of
a Beech 6 " " " S75 E 21 " "

43.40 a Sugar 12 " "

80.00 Let a post Cor. to Sec. 25, 26, 35 & 36, from which
an Ash 36 in. dia. bray N77 E 8 lks. dist. of
an Elm 30 " " " S32 W 22 " "
Land level 2^d rate, timber Beech, Ash &c.
undergth Spruce &c.

T13 N R4 E, 2^d Mer. Indiana

East On Rand^m. betwⁿ Sec^s. 25 & 36, T13 N. R4 E.

40.00 Set temp^y. q. Sec. post

80.15 Intersected the E. boundary 10 lks. S. of post
Land level 2^d. rate, timber Beech, Ash &c.
undergth. Spice &c.

West Corrected between Sec^s. 25 & 36, T13 N. R4 E.

40.07 p^let q. Sec. post at average dist. from which
an Ash 16 in. dia. bears N 72 E 48 lks. dist. &
a Cherry 3 " " " S 37 W 29 " "

80.15 to Sec. Corner.

North Between Sec^s. 25 & 26, T13 N. R4 E.

40.00 Set the q. Sec. post, from which

" — 14 in. dia. bears S 47 E 9 lks. dist. &

a Poplar 4 " " " N 21 W 18 " "

80.00 Set a post Corner to Sec^s. 23, 24, 25 & 26, from which

a Beech 10 in. dia. bears N 27 W 21 lks. dist. &

an Ash 14 " " " S 21 E 20 " "

Level Land inclining to wet 2^d. rate timber Beech
Ash &c. undergrowth Spice

East On Brandom between Sec^s. 24 & 25, T13 N. R4 E.

40.00 Set temp^y. q. Sec. post

80.02 Intersected the N. & S. line 6 lks. South of post
Land & timber as before

West Corrected between Sec^s. 24 & 25, T13 N. R4 E.

40.01 Set q. Sec. post at average dist. from which

a Hickory 20 in. dia. bears S 54 W 31 lks. dist. &

a Do 4 " " " N 38 E 28 " "

80.02 to Section Corner

North Between Sec^s. 23 & 24, T13 N. R4 E.

12.54 a Beech 10 in. dia.

40.00 Set the q. Sec. post, from which

N 31° 12' 4" E 2nd Mer. Indiana

On Ironwood 6 in. dia. bears S 59° E 5 chs. dist. &
 a Beech 5 " " " N 43° W 13 " "
 52. 12 a W. Oak 48 " "
 30. 00 Set a post Corner To Secs. 13, 14, 23 & 24, from which
 a poplar 12 in. dia. bears S 71° E 10 chs. dist. &
 a W. Oak 10 " " " N 35° W 3 " "
 Land & timber as before

East On Random between Secs. 13 & 24, S 13° N. R. 4 E.
 40. 00 Set temp. q. Sec. post
 79. 98 Intersected the N. & S. line 75 chs. N. of post.
 Land and timber as before. Sept. 2. 1820.

West Corrected between Secs. 13 & 24, S 13° N. R. 4 E.
 39. 99 Set q. Sec. post. at average dist. from which
 a Sugar 14 in. dia. bears N 41° E 24 chs. dist. &
 a Beech 18 " " " S 31° W 25 " "
 79. 98 To Section Corner

North Between Secs. 13 & 14, S 13° N. R. 4 E.
 5. 05 a Beech 12 in. dia.
 40. 00 Set the q. Sec. post, from which
 a Beech 24 in. dia. bears N 35° W 22 chs. dist. &
 a Hickory 18 " " " S 51° E 8 " "
 45. 25 an Ash 20 " "
 30. 00 Set a post Cor. To Secs. 11, 12, 13 & 14, from which
 a Beech 24 in. dia. bears S 41° E 5 chs. dist. &
 a Do 10 " " " N 10° E 25 " "
 Land level inclining to wet 3rd rate timber. Beech,
 Ash, Hickory, Locust, Oak, &c under. Spice &c.

East On Random between Secs. 12 & 13, S 13° N. R. 4 E.
 39. 10 a Branch 10 chs. wide Course S. E.
 40. 00 Set temp. q. Sec. post
 30. 05 Intersected the N. & S. line 2.24 chs. N. of post
 Land and timber as before

St. R. E. D. Mer. Indiana

West Corrected Between Sec. 12 & 13, T13 N. R4 E.
 40.02 Set of Sec. post at average dist. from which
 a Beech 24 in. dia. bears N47 W 33 chs. dist. &
 an Do 6 " " " S63 E 26 " "
 80.15 To Section Corner

North Between Sec. 11 & 12, T13 N. R4 E.
 04.56 a Beech 15 in. dia. bears
 40.00 Set the of Sec. post, from which
 a — 10 in. dia. bears N64 E 10 chs. dist. &
 an Ash 33 " " " S70 W 25 " "
 58.10 an Ash 24 " "
 80.00 Set a post Cor. to Sec. 1, 2, 11 & 12, from which
 an Ash 30 in. dia. bears N47 E 4 chs. dist. &
 a Beech 10 " " " South 15 " "
 Land & timber as before

East On Pradom between Sec. 1 & 12, T13 N. R4 E.
 34.00 a Dry branch & h^{rs}. wide Course South
 40.00 Set temp of Sec. post.
 79.92 Intersected the N. & S. line 2.66 chs. N. of post
 Land lived good 2^d. rate timber, Beech, Ash, Sugar,
 &c. undergth. Spice.

West Corrected between Sec. 1 & 12, T13 N. R4 E.
 39.96 Set of Sec. post at average dist. from which
 an Elm 20 in. dia. bears N70 E 39 chs. dist. &
 a Beech 12 " " " N38 W 31 " "
 79.92 to Section Corner

North Between Sec. 1 & 2, T13 N. R4 E.
 26.72 a Beech 12 in. dia.
 40.00 Set the of Sec. post, from which
 a Beech 24 in. dia. bears S62 W 28 chs. dist. &
 a Do 10 " " " N6 W 27 " "
 49.30 a Beech 8 " "

S13 N R4 E 2^d Mer. Indiana

67.62 Intersected the N. boundary 1.65 lks. W. of post
 Set a post Cor. to Sec. 14 E. from which
 a Beech 24 in. dia. bears S 38 W 33 lks. dist. &
 a Lymw 12 " " " N 39 W 31 " "
 Land level 2^d rate timber as before

North Between Sec. 34 & 35, S13 N. R4 E.
 25.62 an Elm 30 in. dia.
 40.00 Set the q. Sec. post. from which
 a Sugar 12 in. dia. bears S 12 E 35 lks. dist. &
 a Beech 12 " " " S 77 W 40 " "
 45.38 a Lymw 12 " "
 81.00 Set a post Cor. to Sec. 26, 27, 34 & 35, from which
 a Beech 12 in. dia. bears S 30 E 10 lks. dist. &
 a Sugar 10 " " " N 39 W 22 " "
 Land level 3^d rate timber Beech Ash Sugar
 undergrowth Spice, Hickory, &c.

East On Random between Sec. 26 & 35, S13 N. R4 E.
 40.00 Set temp. q. Sec. post.
 78.50 Intersected the N. & S. line, 1.30 lks. South of post.
 Land and timber as before

West Corrected between Sec. 26 & 35, S13 N. R4 E.
 39.25 Set q. Sec. post at average dist. from which
 a Beech 8 in. dia. bears S 3 W 30 lks. dist. &
 a Do 10 " " " N 79 E 36 " "
 78.50 to Section Corner — Sept 4th 1820 —

North Between Sec. 26 & 27, S13 N. R4 E.
 08.50 a Locust 30 in. dia.
 40.00 Set the q. Sec. post. from which
 an Ash 12 in. dia. bears N 77 W 17 lks. dist. &
 a Do 4 " " " S 30 E 22 " "
 51.62 an Ash 24 " "
 81.00 Set a post Cor. to Sec. 22, 23, 26 & 27, from which

T13 N R4 E, 2^d Mer. Indiana

a Beech 12 in. dia. bears S25 W 11 chs. dist. &
 a Do 7 " " " N35 E 12 " "
 Land and timber as before —

East On Random between Sec. 23 & 26, T13 N. R4 E.
 40.00 Set temp. y. q. Sec. post
 79.10 Intersected the N. & S. line 17 chs. South of post.
 Land and timber as before

West Corrected between Sec. 23 & 26, T13 N. R4 E.
 39.55 Set q. Sec. post at average dist. from which
 a B — 30 in. dia. bears N70 W 24 chs. dist. &
 a Do 16 " " " S77 E 25 " "
 79.10 To Section Corner

North between Sec. 22 & 23, T13 N. R4 E.
 32.65 a Beech 24 in. dia.
 40.00 Set the q. Sec. post, from which
 a Beech 30 in. dia. bears S37 E 28 chs. dist. &
 a Do 14 " " " N6 E 23 " "
 63.90 an Elm 10 " "
 80.00 Set a post Cor. to Sec. 14, 15, 22 & 23, from which
 a Beech 7 in. dia. bears N77 E 27 chs. dist. &
 a Do 20 " " " S10 W 11 " "
 Land inclining to wet 2^d rate timber Beech
 Ash &c. undergrowth Spice —

East On Random between Sec. 14 & 23, T13 N. R4 E.
 40.00 Set temp. y. q. Sec. post
 78.94 Intersected the N. & S. line 50 chs. South of post
 Land and timber as before

West Corrected between Sec. 14 & 23, T13 N. R4 E.
 39.47 Set q. Sec. post at average dist. from which
 a Beech 22 in. dia. bears S65 E 14 chs. dist. &
 a Do 18 " " " N75 W 41 " "

S13 N. R4 E. 2nd Mer. Indiana

78.94 to Section Corner

North Between Secs. 14 & 15, S13 N. R4 E.
 32.05 a Lymn 30 in. dia.
 40.00 Set the q. Sec. post, from which
 an Elm — in. dia. bears N78 E 12 ch. dist. &
 a Beech 8 " " " S6 W 3 " "
 42.70 a W. Oak 20 " "
 50.00 Set a post Cor. To Secs. 10, 11, 14 & 15, from which
 an Ash 20 in. dia. bears N30 W 35 ch. dist. &
 a Do 10 " " " S35 E 13 " "
 Land level 2^d rate timber Beech, Ash, W. Oak
 undergrowth Spice &c.

East On Random between Secs. 11 & 14, S13 N. R4 E.
 40.00 Set temp. y. q. Sec. post
 79.22 Intersected the N. & S. line 24 ch. South of post
 Land and timber as before

West Corrected between Secs. 11 & 14, S13 N. R4 E.
 39.61 Set q. Sec. post at average dist. from which
 an Elm 12 in. dia. bears S9 W 25 ch. dist. &
 a Beech 20 " " " N36 W 14 " "
 79.22 to Section Corner

North Between Secs. 10 & 11, S13 N. R4 E.
 38.60 an Ash 12 in. dia.
 40.00 Set the q. Sec. post, from which
 a Beech 20 in. dia. bears S83 E 25 ch. dist. &
 a Do 14 " " " N31 W 40 " "
 50.00 an Ash 10 " "
 50.00 Set a post Cor. To Secs. 2, 3, 10 & 11, from which
 a Hickory 20 in. dia. bears S64 E 30 ch. dist. &
 a Beech 8 " " " N53 W 37 " "
 Land level inclining to wet 2^d rate timber Beech
 Ash, undergth Spice &c.

T13 N R4 E. 2^d. Mer. Indiana

East On Random between Sec. 2411, T13 N. R4 E.
 40.00 Set temp^y. g^f. Sec. post.
 79.00 Intersected the N. & S. line 78 chs. South of post
 Land and timber as before

West Corrected between Sec. 2411, T13 N. R4 E.
 39.50 Set g^f. Sec. post. at average dist. from which
 a Beech 18 in. dia. bears N 33 W 10 chs. dist. &
 a do 6 " " " S 33 E 27 " "
 79.00 to Section Corner. Sept. 5th 1820 -

North Between Sec. 243, T13 N. R4 E.
 15.72 a Beech 9 in. dia.
 40.00 Set the g^f. Sec. post, from which
 an Ash 12 in. dia. bears S 25 E 23 chs. dist. &
 a Beech 14 " " " N 49 W 23 " "
 45.25 a Beech 20 " "
 66.10 Intersected the N. boundary 3.21. lks. N. of post
 Set a post Cor. to Sec. 243, from which
 an Elm 36 in. dia. bears S 38 W 10 chs. dist. &
 an Ash 10 " " " N 65 E 9 " "
 Land and timber as before -

North Between Sec. 33 & 34, T13 N. R4 E.
 07.80 a Beech 12 in. dia.
 40.00 Set the g^f. Sec. post, from which
 a Beech 12 in. dia. bears S 3 E 30 chs. dist. &
 an Elm 10 " " " N 17 E 8 " "
 50.00 Set a post Cor. to Sec. 27, 28, 33 & 34, from which
 a W. Oak 20 in. dia. bears S 25 E 26 chs. dist. &
 an Ash 8 " " " N 14 E 5 " "
 Land level inclining to wet 3^d rate timber Beech Ash
 W. Oak &c. undergrowth Spice Hazle &c.

East On Random between Sec. 27 & 34, T13 N. R4 E.
 40.00 Set temp^y. g^f. Sec. post

T13 N R4 E 2^d Mer. Indiana

78. 70 Intersected the N. & S. line 1.46 ch. South of post
Land and timber as before

West Corrected between Sec. 27 & 34, T13 N R4 E.
39. 35 Set q. Sec. post. at average dist. from which
an Ash 24 in. dia. bears S 87° W 20 ch. dist. &
a Beech 5 " " " S 36° E 21 " "
78. 70 to Section Corner

North Between Sec. 27 & 28, T13 N R4 E.
14. 75 a Beech 12 in. dia.
40. 00 Set the q. Sec. post. from which
an Ash 12 in. dia. bears N 12° W 30 ch. dist. &
a Beech 8 " " " S 58° E 13 " "
62. 75 a Beech 20 " "
80. 00 Set a post Cor. to Sec. 21, 22, 27 & 28, from which
a Beech 20 in. dia. bears S 3° E 25 ch. dist. &
an Ash 7 " " " N 32° W 11 " "
Land level 3^d rate timber Beech W. Oak Ash &c.
underg^d. hazle Spice green briars &c.

East On Random between Sec. 22 & 27, T13 N R4 E.
40. 00 Set temp. q. Sec. post
78. 36 Intersected the N. & S. line 1.49 ch. S. of post
Land level 2^d rate timber Beech, Ash, Poplar,
underg^d. Spice &c.

West Corrected between Sec. 22 & 27, T13 N R4 E.
39. 18 Set q. Sec. post at average dist. from which
a Beech 14 in. dia. bears S 38° W 25 ch. dist. &
a Do 8 " " " N 31° W 14 " "
78. 36 to Section Corner

North Between Sec. 21 & 22, T13 N R4 E.
16. 50 a Beech 15 in. dia.
40. 00 Set the q. Sec. post. from which

T3 N R4 E. T. Mer. Indiana

on Ash 24 in. dia. bears S 38 E 20 ch. dist. 4
 a Beech 30 " " " N 8 E 29 " "
 45.10 a Beech 8 " "
 80.00 Set a post Cor. to Sec. 15. 16. 21 & 22, from which
 a Beech 24 in. dia. bears N 56 E 44 ch. dist. 4
 a Sugar 8 " " " S 68 W 12 " "
 Land and timber as before

East On Random between Sec. 15 & 22, T3 N. R4 E.
 40.00 Set temp. q. Sec. post,
 78.90 Intersected the N. & S. line 2.16^{ch.} South of post
 Land level inclining to wet timber Beech Ash
 Sugar &c. undergrowth Spice &c.

West Corrected between Sec. 15 & 22, T3 N. R4 E.
 39.45 Set q. Sec. post at average dist. from which
 a — 30 in. dia. bears N 30 W 35 ch. dist. 4
 a Beech 9 " " " N 31 E 20 " "
 78.90 To Section Corner

North Between Sec. 15 & 16, T3 N. R4 E.
 18.50 a Beech 15 in. dia.
 40.00 Set the q. Sec. post, from which
 an Ash 18 in. dia. bears N 8 W 26 ch. dist. 4
 a Beech 6 " " " S 52 W 13 " "
 43.10 a W. Oak 48 " "
 80.00 Set a post Cor. to Sec. 9. 10. 15 & 16. from which
 a B. Ash 15 in. dia. bears S 15 E 25 ch. dist. 4
 on Ash 8 " " " N 43 W 41 " "
 Land and timber as before —

East On Random between Sec. 10 & 15, T3 N. R4 E.
 40.00 Set temp. q. Sec. post
 78.32 Intersected the N. & S. line 2.33 ch. South of post
 Land and timber as before

13th R4 E. 2nd Mer. Indiana

West Corrected between Sec. 10 & 15. *S13 N. R4 E.*
 39. 16 Set q. Sec. post at average dist. from which
 a Beech 20 in. dia. bears *S52 W 27* lks. dist. &
 a Do 12 " " " *N12 E 26* " "
 78. 32 To Section Corner

North Between Sec. 9 & 10. *S13 N. R4 E.*
 04. 96 a Poplar 10 in. dia.
 40. 00 Set the q. Sec. post, from which
 a Beech 18 in. dia. bears *S63 W 12* lks. dist. &
 a Do 10 " " " *N48 E 5* " "
 43. 50 a Sugar 10 " "
 50. 00 Set a post Cor. to Sec. 3. 4. 9 & 10, from which
 a Beech 30 in. dia. bears *S14 W 6* lks. dist. &
 a Do 20 " " " *N9 W 13* " "
 Land and timber as before —

East On Prandon between Sec. 3 & 10. *S13 N. R4 E.*
 40. 00 Set temp. q. Sec. post
 78. 70 Intersected the N. & S. line 2. 23 lks. S. of post
 Land level inclining to wet 3^d rate timber Ash
 Beech Hickory &c undergrowth Spice Pricklyash &c.

West Corrected between Sec. 3 & 10. *S13 N. R4 E.*
 39. 35 Set q. Sec. post at average dist. from which
 a Beech 20 in. dia. bears *N60 W 10* lks. dist. &
 a Do 10 " " " *S31 E 17* " "
 78. 70 To Section Corner

North Between Sec. 3 & 4. *S13 N. R4 E.*
 36. 47 an Ash 8 in. dia.
 40. 00 Set the q. Sec. post, from which
 a Ash 15 in. dia. bears *N46 E 16* lks. dist. &
 a Hickory 5 " " " *S12 E 17* " "
 55. 85 a Beech 10 " "
 66. 72 Intersected the N. boundary 2. 06 lks. W. of post

S13 N. R4 E. 2^d Mer. Indiana

Set a post Cor. to Secs. 3 & 4, from which
a Beech 20 in. dia. bears N 80 E 11 ch. dist. &
a Do 10 " " " S 8 E 20 " "

Land level thin timber & undergrth as before—

North Between Secs. 32 & 33, S13 N. R4 E.

12.96 a Beech 12 in. dia.

40.00 Set the q^r. Sec. post, from which
an Ash 10 in. dia. bears N 30 E 25 ch. dist. &
a Beech 8 " " " S 61 W 38 " "

53.30 a Do 15 " "

80.00 Set a post Cor. to Secs. 28, 29, 32 & 33, from which
a Beech 20 in. dia. bears S 47 E 56 ch. dist. &
a Do 18 " " " N 57 W 39 " "
Thin Soil 3^d rate timber Beech, Ash, W. Oak, &c.
undergrowth Spice Hayle &c. ...

East On Pradom between Secs. 28 & 33, S13 N. R4 E.

24.30 a Stream 10 ch. wide Course South

40.00 Set temp^y. q^r. Sec. post

78.82 Intersected the N. & S. line 1.36 ch. S. of post
Land and timber as before

West Corrected between Secs. 28 & 33, S13 N. R4 E.

39.41 Set q^r. Sec. post at average dist. from which
a Beech 18 in. dia. bears S 66 W 23 ch. dist. &
a W. Oak 8 " " " N 21 E 18 " "

78.82 to Section Corner

North Between Secs. 28 & 29, S13 N. R4 E.

40.00 Set the q^r. Sec. post, from which
a W. Oak 20 in. dia. bears S 20 W 9 ch. dist. &
an Ash 10 " " " S 5 E 15 " "

61.10 a Beech 12 " "

80.00 Set a post Cor. to Secs. 20, 21, 28 & 29, from which
an Elm 35 in. dia. bears N 42 W 3 ch. dist. &

T13 N R4 E, 2^d Mer. Indiana

an Ash 8 in. dia. bears S 61 E 38 chs. dist. 4
Land and timber as before

East On Random between Sec. 21 & 28, T13 N R4 E,
40.00 Set temp^y. q^r. Sec. post
78.55 Intersected the N. & S. line 78 chs. S. of post
Land and timber as before

West Corrected between Sec. 21 & 28, T13 N R4 E,
39.27² Set q^r. Sec. post at average dist. from which
a Beech 24 in. dia. bears N 30 E 4 chs. dist. 4
a do 10 " " " N 84 W 36 " "
78.55 To Section Corner

North Between Sec. 20 & 21, T13 N R4 E,
19.75 a Stream 8 chs. wide Course S. W.
40.00 Set the q^r. Sec. post, from which
an Elm 18 in. dia. bears N 20 W 19 chs. dist. 4
a Hickory 12 " " " S 2 W 17 " "
49.70 a do 20 " "
80.00 Set a post Cor. To Sec. 16, 17, 20 & 21, from which
a Beech 20 in. dia. bears N 70 E 8 chs. dist. 4
an Ash 20 " " " S 23 W 28 " "
Land bel 2^d rate timber Beech, Ash, Poplar,
&c. undergrowth Spice &c.

East On Random between Sec. 16 & 21, T13 N R4 E,
40.00 Set temp^y. q^r. Sec. post
78.98 Intersected the N. & S. line 54 chs. S. of post
Land & timber as before

West Corrected between Sec. 16 & 21, T13 N R4 E,
39.49 Set q^r. Sec. post at average dist. from which
an Ash 20 in. dia. bears N 68 E 28 chs. dist. 4
a Hickory 12 " " " N 62 W 15 " "
78.98 To Section Corner

S13 N. R4 E. 2. Mer. Indiana

North Between Secs. 16 & 17, S13 N. R4 E.
 31.70 a Hickory 20 in. dia.
 40.00 Set the g. Sec. post, from which
 an Ash 7 in. dia. bears S12W23 lks. dist. &
 a Do 6 " " " N46E10 " "
 49.22 a Beech 20 " "
 80.00 Set a post Corner to Secs. 8, 9, 16 & 17, from which
 an Ash 14 in. dia. bears N79E10 lks. dist. &
 an Elm 18 " " " N56W33 " "
 Land level inclining to wet timber Beech Ash
 Hickory &c. and grth Spice &c.

East On Random between Secs. 9 & 16, S13 N. R4 E.
 40.00 Set temp. g. Sec. post
 79.15 Intersected the N. & S. line 1.52 lks. S. of post
 Land level 3. rate timber Beech Ash W. Oak
 Hickory undergrowth Spice &c.

West Corrected between Secs. 9 & 16, S13 N. R4 E.
 39.57 Set g. Sec. post at average dist. from which
 a Beech 14 in. dia. bears N5W10 lks. dist. &
 a Do 12 " " " S4E38 " "
 79.15 to Section Corner

North Between Secs. 8, 9, S13 N. R4 E.
 02.80 a W. Oak 36 in. dia.
 40.00 Set the g. Sec. post, from which
 a Beech 30 in. dia. bears N37W4 lks. dist. &
 a Do 10 " " " S32E16 " "
 58.75 a Poplar 15 " "
 80.00 Set a post Corner to Secs. 4, 5, 8 & 9, from which
 a W. Oak 12 in. dia. bears S88E20 lks. dist. &
 a Beech 9 " " " N68W11 " "

East On Random between Secs. 4 & 9, S13 N. R4 E.
 40.00 Set temp. g. Sec. post

S13 N R4 E. 2^d. Mer. Indiana

79.00 Intersected the A. & S. line 1.69 chs S. of post
Land and timber as before, Omitted on last mile

West Corrected between Secs. 4 & 9, S13 N R4 E.
39.59 Set of Sec. post at average dist. from which
a Beech 14 in. dia. bears N74 E 24 chs dist. 4
a do 12 " " " S88 W 35 " "
79.00 To Section Corner

North Between Secs. 4 & 5, S13 N R4 E.
03.90 an Ash 12 in. dia.
40.00 Set the of. Sec. post, from which
a Beech 8 in. dia. bears N10 W 34 chs dist. 4
an Elm 6 " " " S9 W 15 " "
50.10 a Beech 15 " "
67.90 Intersected the N. boundary 1.05 chs W. of post
Set a post Cor. to Secs. 4 & 5, from which
a Beech 24 in. dia. bears S25 W 9 chs dist. 4
a Sugar 5 " " " N7 E 15 " "
Land level 3^d. rate timber, Beech, Ash, undg.
Spice, Hazle, Beech, etc.

North Between Secs. 31 & 32, S13 N R4 E.
01.00 a Stream 20 chs wide course S. E.
02.90 a Sycamore 36 in. dia.
40.00 Set the of. Sec. post, from which
a Beech 8 in. dia. bears N67 W 21 chs dist. 4
a Ironwood 6 " " " S17 E 20 " "
65.80 a Br. Oak 36 " "
80.00 Set a post Cor. to Secs. 29, 30, 31 & 32, from which
a Br. Oak 36 in. dia. bears N32 E 15 chs dist. 4
an Ash 10 " " " S12 W 20 " "
Land level 3^d. rate timber Beech, Ash, Sugar,
undergrowth Spice Hazle etc.

East On Random between Secs. 29 & 32, S13 N R4 E.

N 30° E. 2nd Mer. Indiana

35.00 a Stream 12 lks. wide Course S.
 40.00 Set temp. q. Sec. post
 79.23 Intersected the N. & S. line 1.69 lks. S. of post
 Land & timber as before

West Corrected between Sec. 29 & 32, N 13° E.
 39.61 Set q. Sec. post at average dist. from which
 a Sycamore 48 in. dia. bears S 74° W 17 lks. dist. &
 a Beech 12 " " " S 88° E 26 " "
 79.23 To Section Corner

West Between Sec. 30 & 31, N 13° E.
 28.00 a Beech 12 in. dia. bears
 40.00 Set the q. Sec. post, from which
 a W. Oak 48 in. dia. bears S 33° E 12 lks. dist. &
 a Beech 18 " " " N 38° W 23 " "
 43.00 a Stream 15 lks. wide Course S. E.
 52.05 a Beech 20 in. dia.
 79.77 Intersected the W. boundary 2.22 lks. N. of post
 Set a post Corner to Sec. 30 & 31, from which
 a Beech 12 in. dia. bears S 47° W 14 lks. dist. &
 a Hickory 14 " " " N 13° E 9 " "
 Land and timber as before—

North Between Sec. 29 & 30, N 13° E.
 13.32 an Elm 14 in. dia.
 40.00 Set the q. Sec. post, from which
 a W. Oak 12 in. dia. bears S 12° E 14 lks. dist. &
 a Hickory 10 " " " N 49° W 16 " "
 49.08 a Beech 12 " "
 80.00 Set a post Cor. to Sec. 19, 20, 29 & 30, from which
 a Beech 20 in. dia. bears N 29° E 13 lks. dist. &
 a Do. 7 " " " S 25° W 26 " "
 Land timber &c. Same as on the last mile
 Saturday Sept. 9th 1820

T13 N R4 E. 2^d Mer. Indiana

East On Rand^m between Sec. 20 & 29, T13 N. R4 E.
40.00 Set temp^y. q^r. Sec. post

52.50 a Stream 10 ch^s. wide Course South

79.29 Intersected the N. & S. line 1.76 ch^s. South of post
Land level 3^d. rate timber Beech, Ash, Sugar &c.
undergrowth Spice -

West Corrected between Sec. 20 & 29, T13 N R4 E.

39.64 Set q^r. Sec. post at average dist. from which
a Poplar 14 in. dia^r. bears N 69 E 30 ch^s. dist. &
a W. Beech 7 " " " S 85 W 15 " "

79.29 To Section Corner

West Between Sec. 19 & 30, T13 N. R4 E.

40.00 Set the q^r. Sec. post, from which
a W. Oak 24 in. dia^r. bears S 30 E 15 ch^s. dist. &
a Beech 12 " " " N 10 W 11 " "

64.32 a W. Oak 24 " "

79.61 Intersected the N. & S. line 2.06 ch^s. N. of post
Set a post Cor. To Sec. 19 & 30, from which
a Hickory 20 in. dia^r. bears S 10 W 36 ch^s. dist. &
a Beech 4 " " " N 22 W 32 " "
Land level inclining to wet 3^d. rate timber. Beech,
Ash, Hickory, Oak, undergrowth Spice P. Ash &c.

North Between Sec. 19 & 20, T13 N. R4 E.

13.16 a Beech 15 in. dia^r.

40.00 Set the q^r. Sec. post, from which
a B. Ash 10 in. dia^r. bears S 9 E 37 ch^s. dist. &
a Do 7 " " " N 14 W 27 " "
Land level 2^d. rate timber Beech Ash Hickory &c.
undergrth Spice &c.

Residue of this line Omitted (S.M.)

East On Brandom between Sec. 17 & 20, T13 N. R4 E.

40.00 Set temp^y. q^r. Sec. post

S13. N. R4 E. 2. Mer. Indiana

79.68 Intersected the N. & S. line 95 chs. South of post
Land & timber as on the last mile

West Corrected between Sections 17 & 20. S13. N. R4 E.
59.84 Set q. Sec. post at average dist. from which
a Sycamore 36 in. dia. bears S11 E 23 chs. dist. &
an Ash 10 " " " S45 W 17 " "
79.68 To Section Corner

West Between Secs. 18 & 19. S13. N. R4 E.
40.00 Set the q. Sec. post, from which
an Elm 24 in. dia. bears S46 W 28 chs. dist. &
a W. Oak 10 " " " N44 E 17 " "
68.40 a Beech 15 " "
79.77 Intersected the W. boundary 2.59 chs. North of post
Set a post Cor. to Secs. 18 & 19, from which
a W. Oak 30 in. dia. bears N9 W 34 chs. dist. &
an Ash 12 " " " S44 E 27 " "
Land level inclining to wet 2^d rate timber Beech
Ash, Hickory, &c. Undergrowth Spice &c.

North Between Secs. 17 & 18. S13. N. R4 E.
20.40 an Elm 24 in. dia.
40.00 Set the q. Sec. post, from which
an Ash 18 in. dia. bears S64 W 14 chs. dist. &
a Do 6 " " " N15 E 7 " "
59.06 a Beech 12 " "
80.00 Set a post Cor. to Secs. 7, 8, 17 & 18, from which
a Lym 14 in. dia. bears N50 W 30 chs. dist. &
an Elm 10 " " " S3 W 21 " "
Land and timber as before

East On Random between Secs. 17 & 8. S13. N. R4 E.
40.00 Set temp. q. Sec. post
80.05 Intersected the N. & S. line 160 chs. S. of post
Land level 2^d rate timber Beech, B. Oak.

T13 N R4 E. D. Mer. Indiana

Ash undergth Spice pc.

West Corrected between Sec. 8 & 17, T13 N R4 E.
 40.02 Set q. Sec. post at average dist. from which
 a Hickory 14 in. dia. bears N 79 W 21 lks. dist. &
 an Ash 7 " " " S 50 E 6 " "
 50.05 To Section Corner

West Between Sec. 7 & 18, T13 N R4 E.
 18.66 a Beech 10 in. dia. bears
 40.00 Set the q. Sec. post, from which
 a Beech 20 in. dia. bears S 61 W 32 lks. dist. &
 a Do 10 " " " N 84 E 11 " "
 79.81 Intersected the W. boundary 3.13 lks. North of post
 Set a post Cor. to Sec. 7 & 18. from which
 a Walnut 12 in. dia. bears N 51 W 17 lks. dist. &
 an Elm 6 " " " N 86 E 20 " "
 Land & timber as before — Monday Sept. 11. 1920.

North Between Sec. 7 & 8, T13 N R4 E.
 02.10 a B. Ash 12 in. dia.
 40.00 Set the q. Sec. post, from which
 an Ash 8 in. dia. bears S 12 E 27 lks. dist. &
 a Beech 9 " " " N 23 E 5 " "
 54.30 and Elm 7 " "
 80.00 Set a post Cor. to Sec. 5, 6, 7 & 8. from which
 a B. Oak 20 in. dia. bears S 74 E 26 lks. dist. &
 a Do 18 " " " S 71 W 18 " "
 Land level inclining to wet 3. rate timber pc. as before

East On Random between Sec. 5 & 8, T13 N R4 E.
 40.00 Set temp. q. Sec. post
 80.53 Intersected the N. Sec. line 2.69 lks. S. of post
 Land and timber as before

West Corrected between Sec. 5 & 8, T13 N R4 E.

T13 N. R4 E. 2^d Mer. Indiana

40.16 Set q^r. Sec. post at average dist. from which
a B. Ash 20 in. dia. bears S 19 E 16 chs. dist. &
a B. Oak 8 " " " S 76 W 14 " "

80.33 To Section Corner

West Between Secs. 6 & 7, T13 N. R4 E.
15.46 a Beech 20 in. dia.
40.00 Set the q^r. Sec. post. from which
an Ash 11 in. dia. bears N 54 E 9 chs. dist. &
a Do 10 " " " S 21 W 15 " "
42.08 a Beech 10 " "
79.84 Intersected the W. boundary 3.91 chs. N. of post
Set a post Cor. to Sec. 6 & 7, from which
a Hickory 20 in. dia. bears N 68 E 10 chs. dist. &
an Ash 8 " " " N 65 W 26 " "
Land level 2^d. rate timber Beech, B. Oak, Ash,
Sugar, underg^r. Spice &c.

North Between Secs. 5 & 6, T13 N. R4 E.
12.30 a Poplar 10 in. dia.
40.00 Set the q^r. Sec. post. from which
a Beech 14 in. dia. bears S 43 E 17 chs. dist. &
a Do 12 " " " N 42 W 29 " "
44.06 an Ash 15 " "
69.95 Intersected the N. boundary 1.73 W. of post
Set a post Cor. to Sec. 5 & 6, from which
a Beech 18 in. dia. bears N 30 W 25 chs. dist. &
a Do 11 " " " S 76 E 17 " "
Land level 2^d. rate timber. Beech, Ash, Sugar &c.
underg^r. Spice &c. Tuesday Sept. 12th 1820.

Surveyed by Tho. Hendricks, dds

Surveyor General's Office Cincinnati, Aug. 20. 1841
I Certify that the foregoing transcript of field notes
of Township T. 13 N. Range N. 4 E. 2^d Mer. Indiana
has been Comp^d. with the original notes in this office
and found to be correct,

Comp^d.

E. S. Peckins, Gen^l